LUXURY VINYL SHEET FLOORING COLLECTIONS





LUXURY VINYL SHEET

$2 \int 3 \int 4 \int$ metre widths

Feel inspired to transform your home into a space you love with Polyflor's three Luxury Vinyl Sheet collections.

Each collection can be loose laid, requiring no adhesive, therefore reducing installation time and minimising disruption in your home. Perfect for use in any room, these designs are durable, practical and comfortable underfoot.



Secura is a collection of wood, stone and abstract effect designs developed with authentic textures to replicate natural materials.

Each shade has a soft backing providing comfort underfoot.









Designatex is a collection of wood and stone effect designs available in an array of laying patterns.

Each shade has a warm and comforting luxury textile backing.





Textile backed luxury vinyl sheet flooring

Architex is a premium collection of wood, stone and abstract flooring spanning a versatile palette of traditional and contemporary designs.

Each shade has a superior protective wear layer and a luxury textile backing.

















The warm and welcoming luxury backing on all three ranges provides comfort underfoot, whilst also reducing impact sound between rooms.



FLOORS FOR EVERYDAY LIVING

Luxury vinyl sheet is comfortable, safe and attractive. Ideal for busy lifestyles, it will stand the test of time.







R10 slip resistance, the ideal protection from little mishaps in the home, keeping you and your family safe.








The unique polyurethane reinforcement (PUR) protects the surface from stains and scuff marks, reducing cleaning time and costs.



page 71

Chalk White Oak 2141









Honey Limed Ash 2143





page 66 Blond Oak 2127

Designatex

page 43

Wheatfield Oak 2163

Coastal Oak 2159

Dorchester Oak 3406





page 18

page 44





Natural Oak 2126

Rose Hill Oak 3401



Honey Blushed Oak 2162

Sicilian Oak 2147





Alden Oak 3402

page 21 Country Oak 2130





06

WOOD



page 22



page 69

page 49



Bowery Oak 3405

page 23



Cornish Oak 2146

page 67



Lake House Oak 3403



Marlborough Oak 3404

page 20







Nero Oak 2144

page 70



Grey Oak Parquet 2168

Choose from an array of laying patterns

DESIGN FLOORS >>

that will add a unique element to your interior scheme. From simple parquets to sophisticated weaves it's easy to make a statement.



Oxford Basket Weave 3407 page 16 Warwick Basket Weave 3408 page 17

Oakland Parquet 2167



page 37

page 42

page 36



Laurel Oak Parquet 2136

English Oak Parquet 2137



Columned Ash 2140 page 68





page 48



Ebony 2135

Tan Bowman Oak 3409

80

WOOD



Rich Oak Parquet 2138

page 61



Smokehouse Herringbone 2139 page 62



Grey Bowman Oak 3411

page 24









Barca Limestone 2150

page 75



Limestone 2111

page 50





Cottage Paving 2148







Quarried Slate 2152

page 77



Black Slate 2114

page 53

S T O N E



Plymouth Slate 2165



Noir Slate 2153

page 76

C O N C R E T E





page 26







Polished Concrete 2118

page 54

Hudson Cement 3417

page 27




Vittoria Terrazzo 3418

page 32



Fresh Persian Loom 3412


page 29



Parlour Tile 3414

page 30

ABSTRACT




Fresco Terrazzo 3419

page 33



Rich Persian Loom 3413

page 28



Heritage Tile 3415





Feel at home with Architex.



 $2 \int 3 \int 4 \int$ Metre widths



Basket Weave

An intricate design that adds stunning detail



Oxford Basket Weave



Plank Size: 56 x 297mm & 120 x 120mm Oxford Basket Weave 3407



Warwick Basket Weave 3408

Plank Size: 56 x 297mm & 120 x 120mm



Weathered

Rustic timber gradually aged by the elements



Dorchester Oak



Dorchester Oak 3406

Plank Size: 200 x 1000mm



Lake House Oak 3403

Plank Size: 200 x 1500mm





Ri ti salasta a



Alden Oak 3402

Plank Size: 200 x 1500mm



Marlborough Oak 3404

Plank Size: 200 x 1500mm



Rich

Comforting deep tones with linear wood grains



Alden Oak

Architex Gauge: **3.5mm** | Wear Layer: **0.35mm**

Neutral

Modest natural timber creating a timeless finish







Rose Hill Oak 3401

Plank Size: 200 x 1500mm



Bowery Oak 3405

Plank Size: 200 x 1000mm



Architex Gauge: 3.5mm | Wear Layer: 0.35mm

Chevron

Eolgy geometric arrows are the ultimate statement look



Grey Bowman Oak



Grey Bowman Oak 3411

Plank Size: 100 x 333mm



Tan Bowman Oak 3409

Plank Size: 100 x 333mm





-





A seamless neutral backdrop for a cohesive space



Hudson Cement 3417



Portland Cement 3416



Gauge: 3.5mm | Wear Layer: 0.35mm

Cement



Hudson Cement

Architex Gauge: 3.5mm | Wear Layer: 0.35mm

Textile

A subtle stencil woven through fabric tiles



Rich Persian Loom



Rich Persian Loom 3413

Tile Size: 330 x 330mm



Fresh Persian Loom 3412

Tile Size: 330 x 330mm




Victorian


Traditional and sophisticated statement tiles



Parlour Tile



Parlour Tile 3414



Heritage Tile 3415



Architex Gauge: **3.5mm** | Wear Layer: **0.35mm**

Terrazzo

Portraying elegant and simple Italian style



Vittoria Terrazzo



Vittoria Terrazzo 3418



Fresco Terrazzo 3419













Large Parquet

A time-honoured classic herringbone design







Grey Oak Parquet 2168


Plank Size: 88 x 700mm



Oakland Parquet 2167

Plank Size: 88 x 700mm







Plank Size: 140 x 710mm







Secura Gauge: 3.0mm | Wear Layer: 0.35mm

Cool

Coastal driftwood limed gently by water







White Limed Ash 2160

Plank Size: 166 x 1500mm



Sterling Oak 2161

Plank Size: 200 x 1000mm





Blo



Blond Oak 2127

Plank Size: 200 x 1500mm



Golden Oak 2128 Plank Size: 62.5 x 500mm & 62.5 x 1000mm



Blond

Characteristically warm and sun-kissed timber



Blond Oak

Secura Gauge: 3.0mm | Wear Layer: 0.35mm

Neutral

Modest natural timber creating a timeless finish





Coastal Oak 2159

Plank Size: 200 x 1500mm



Natural Oak 2126

Plank Size: 200 x 1000mm



Secura Gauge: 3.0mm | Wear Layer: 0.35mm

Neutral

Modest natural timber creating a timeless finish







Wheatfield Oak 2163

Plank Size: 167 x 1500mm



Honey Blushed Oak 2162

Plank Size: 200 x 1500mm





Timeless

Statement floors that will stand the test of time



Country Oak 2130

Plank Size: 200 x 1500mm



Ebony 2135

Plank Size: 100 x 1000mm & 150 x 1000mm





Country Oak

Secura
Gauge: 3.0mm | Wear Layer: 0.35mm

Limestone

Subtle tiles with delicate pitting and marbling








Limestone 2111

Tile Size: 333 x 500mm







Black Slate 2114

Tile Size: 333 x 500mm



Plymouth Slate 2165



Slate



Black Slate

Secura Gauge: 3.0mm | Wear Layer: 0.35mm

Concrete


Trend-led grey tones for a flowing design scheme



Polished Concrete



Polished Concrete 2118



Powdered Concrete 2164







Feel at home with Designatex.



 $2 \int 3 \int 4 \int$ metre widths



Designatex Gauge: **3.0mm** | Wear Layer: **0.3mm**

Small Parquet

An elegant design for both modern and classic decors







Laurel Oak Parquet 2136

Plank Size: 76.2 x 228.6mm



Laurel Oak Parquet

Designatex Gauge: 3.0mm | Wear Layer: 0.3mm

Small Parquet

An elegant design for both modern and classic decors



English Oak Parquet



- English Oak Parquet 2137
- Plank Size: 76.2 x 228.6mm



Rich Oak Parquet 2138

Plank Size: 76.2 x 228.6mm







Designatex

Gauge: 3.0mm | Wear Layer: 0.3mm



A time-honoured classic herringbone design

Smokehouse Herringbone

Designatex Gauge: 3.0mm | Wear Layer: 0.3mm

Cool

Coastal driftwood limed gently by water



Platinum Oak



Platinum Oak 2142

Plank Size: 166 x 1500mm



Honey Limed Ash 2143

Plank Size: 166 x 1500mm



Designatex Gauge: 3.0mm | Wear Layer: 0.3mm

Neutral

Modest natural timber creating a timeless finish



California Oak



California Oak 2145

Plank Size: 166 x 1500mm



Cornish Oak 2146

Plank Size: 166 x 1500mm



Botanical

Intense grains and contrasting tones





Columned Ash 2140

Plank Size: 40–120 x 500mm



Sicilian Oak 2147

Plank Size: 166 x 1500mm







A classic palette of opposing shades



Chalk White Oak 2141

Plank Size: 200 x 1500mm



Nero Oak 2144

Plank Size: 125 x 1000mm

Designatex

Gauge: 3.0mm | Wear Layer: 0.3mm

Monochrome



Designatex Gauge: 3.0mm | Wear Layer: 0.3mm

Paving

An assortment of tiles in an array of widths and lengths



Cottage Paving



Cottage Paving 2148

Tile Size: 100–500 x 100–500mm



Tuscan Paving 2149

Tile Size: 100–500 x 100–500mm





Limestone

Subtle tiles with delicate pitting and marbling



Barca Limestone 2150

Tile Size: 143 x 500–800mm



Manhattan Limestone 2151

Tile Size: 143 x 500–800mm

Designatex

Gauge: 3.0mm | Wear Layer: 0.3mm



Barca Limestone

Designatex Gauge: 3.0mm | Wear Layer: 0.3mm

Slate

Intense stone characterised by calming water markings laid in a natural variation of tile sizes



Noir Slate



Noir Slate 2153

Tile Size: 35–135 x 500–1000mm



Quarried Slate 2152

Tile Size: 35–135 x 500–1000mm



Quarried Slate

77





The first stage of designing an interior is refining your ideas and planning your finished look. You can find further information and resources for all three luxury vinyl sheet ranges on our website polyflor.com.

SELECT YOUR FLOOR

Browse our brochure, shadecards and retail presenters at your leisure and make a shortlist of your favourite designs. The collection summaries are available on page 80-85 or you can browse by shade on page 6-13.

Our room visualiser is also available to help you picture any design instantly, in every room of your home.

ORDER FREE SAMPLES

Free samples of each shade are available to order through our website polyflor.com or you can call the dedicated Polyflor Samples Hotline on +44 (0)161 767 2551.

DISCUSS YOUR PROJECT

It is always useful to be prepared when visiting your local flooring retailer. Start by providing a rough guide of the room shape and measurements. Be sure to bring your shortlist of chosen designs, including shade name and number.

ENJOY YOUR NEW FLOOR

We want you to enjoy your floor for years, so we have prepared a list of top tips to help you keep your floor looking as good as new, see pages 86–87 for more details.





visualise









Oxford Basket Weave 3407 page 16 56 x 297mm & 120 x 120mm



Warwick Basket Weave 3408 page 17 56 x 297mm & 120 x 120mm



Lake House Oak 3403 200 x 1500mm







Grey Bowman Oak 3411 page 24 100 x 333mm

Portland Cement 3416



page 18

Dorchester Oak 3406 200 x 1000mm



Rose Hill Oak 3401 200 x 1500mm



Bowery Oak 3405 200 x 1000mm





Alden Oak 3402 200 x 1500mm



200 x 1500mm

page 20




Tan Bowman Oak 3409 page 25 100 x 333mm





Fresh Persian Loom 3412 page 29 330 x 330mm

330 x 330mm





Heritage Tile 3415

Vittoria Terrazzo 3418

page 31

$2\int 3\int 4\int$ metre widths

Gauge: 3.5mm | Wear Layer: 0.35mm





page 26

Hudson Cement 3417

page 27

page 28



Parlour Tile 3414

page 30





Fresco Terrazzo 3419





Oakland Parquet 2167 88 x 700mm

page 37 88 x 700mm



Grey Oak Parquet 2168



White Limed Ash 2160 166 x 1500mm

page 40



Honey Blushed Oak 2162 page 47 200 x 1500mm

Country Oak 2130 200 x 1500mm



Coastal Oak 2159 200 x 1500mm



Sterling Oak 2161 200 x 1000mm



Blond Oak 2127 200 x 1500mm





page 44

Golden Oak 2128 page 42 62.5 x 500mm & 62.5 x 1000mm



Wheatfield Oak 2163 167 x 1500mm

page 46



Natural Oak 2126 200 x 1000mm

page 45

page 43





Ebony 2135 100 x 1000mm & 150 x 1000mm

Limestone 2111 333 x 500mm





Plymouth Slate 2165 333 x 500mm



page 49



Antique Herringbone 2129 page 38 140 x 710mm



page 50

Powdered Concrete 2164

page 55



page 52



Black Slate 2114 333 x 500mm





Chalk White Oak 2141 200 x 1500mm

166 x 1500mm



Honey Limed Ash 2143 page 65



California Oak 2145 166 x 1500mm

page 66



Smokehouse Herringbone 2139 page 62 140 x 710mm

Platinum Oak 2142 166 x 1500mm



page 68

Columned Ash 2140 40-120 x 500mm



Cornish Oak 2146 166 x 1500mm



Sicilian Oak 2147 166 x 1500mm

page 69



Laurel Oak Parquet 2136 page 58 76.2 x 228.6mm



English Oak Parquet 2137 page 60 76.2 x 228.6mm



page 61

Rich Oak Parquet 2138 76.2 x 228.6mm



Cottage Paving 2148 100-500 x 100-500mm

Tuscan Paving 2149 100-500 x 100-500mm



Manhattan Limestone 2151 page 74 143 x 500-800mm



Quarried Slate 2152 35-135 x 500-1000mm

$2\int 3\int 4\int$ metre widths

Gauge: 3.0mm | Wear Layer: 0.3mm



page 64



page 73



Nero Oak 2144 125 x 1000mm

page 70



Barca Limestone 2150 143 x 500-800mm





Noir Slate 2153 35-135 x 500-1000mm

page 76

CLEANING & MAINTENANCE

So you can continue to enjoy your Luxury Vinyl Sheet floor covering for years to come, a regular cleaning regime is required to help keep it looking as new. Regular cleaning is more beneficial to the floor covering and more cost effective than occasional heavy cleaning.

Day to day cleaning:

Sweep or vacuum your floor to remove any dust and loose dirt.

Mop with a neutral cleanser to remove any stubborn marks, rinse with clean water and allow to dry.



Protecting your floor:

All our luxury vinyl sheet collections have a polyurethane reinforcement (PUR) to protect against everyday wear, however, to minimise the chances of your flooring becoming damaged we do recommend the following floor care guidelines:

Use protective cups under heavy furniture to prevent indentation.

the floor.



Remove spillages as quickly as possible to reduce risk of staining and causing slip hazards.



Maintaining your floor:

For recommended products for use with luxury vinyl sheet floor coverings visit www.polyflor.com. Ensure all cleaners and detergents are diluted as per the manufacturer's instructions.

We highly recommend you use the Polyflor at Home Floor Care Kit to maintain your luxury vinyl sheet floor covering. You can find out more information and order your Floor Care Kit from your retailer.

Floor Care Kit Contents:

Daily Cleanse 750ml Prepare 750ml Polish & Protect 750ml 1 x Blue Applicator

1 x Coarse Stripper Pad Soft Polishing Pad Floor Protector Pads Floor Care Guide

Fit protective pads to all furniture legs to prevent scratches when moved across



Install barrier mats at all entrances to pick up grit and moisture (Note, some rubberbacked mats may discolour the floor).



Regularly trim pets claws as these can cause fine scratches.





TECHNICAL

		Architex
Gauge	ISO 24346 (EN 428)	3.5mm
Wear Layer	ISO 24340 (EN 429)	0.35mm
Installation		Can be loose laid in areas up to 20m ²
Roll Size	ISO 24341 (EN 426)	4m x 20-25m 3m x 20-25m 2m x 20-25m
Total Weight	ISO 23997 (EN 430)	2150g/m ²
General Performance	ISO 26986 (EN 653)	Conforms
Use Area	ISO 10874 (EN 685)	
Acoustic Impact Sound Reduction	ISO 10140-3	19dB
Resistance to Chemicals	ISO 26987 (EN 423)	Good Resistance
Reaction to Fire	EN 13501-1	Class Bfl-S1
Abrasion Resistance	EN 653	Group T
Slip Resistance*	EN 13893 DIN 51130 / DIN EN 16165 Ann. B	Class DS R10
Residual Indentation	ISO 24343-1 (EN 433)	≤0.2mm
Dimensional Stability	ISO 23999 (EN 434)	≤0.40%
Flexibility	ISO 24344 (EN 435)	(Method A) / Pass 20mm Ø
Underfloor Heating Thermal Resistance	EN 12667	Suitable, max 27°C 0.0542m² K/W 0.542 Tog
Static Electrical Propensity	EN 1815	≤2.0kV Classified as 'antistatic'
Light Fastness	ISO 105-B02	(Method 3) ≥6
Castor Chair (continuous use)	ISO 4918 (EN 425)	Suitable
Furniture Leg	ISO 16581 (EN 424)	Conforms
VOC Emissions	Indoor Air Comfort GOLD FloorScore	Eurofins certified product Certified
PUR – Polyurethane Reinforcement		1
Environmentally Preferable Flooring		100% recyclable BRE Global A+ rating (Generic)
Responsible Sourcing	BES 6001	

For information regarding handling and installation, adhesives, maintenance, applications, chemical resistance and product warranty, consult Polyflor Customer Technical Services on +44 (0)161 767 1912, or email tech@polyflor.com.

*For safety flooring with sustainable wet slip resistance, refer to Polysafe ranges.

The data presented is correct at the time of printing. For latest information, please visit our website polyflor.com.

Secura	Designatex
3.0mm	3.0mm
0.35mm	0.3mm
Can be loose laid in areas up to 20m ²	Can be loose laid in areas up to 20m ²
4m x 20–25m	4m x 20-25m
3m x 20-25m 2m x 20-25m	3m x 20-25m 2m x 20-25m
1780g/m²	1700g/m ²
Conforms	Conforms
19dB	17dB
Good Resistance	Good Resistance
Class Bfl–S1	Class Bfl-S1
Group T	Group T
Class DS	Class DS
R10	R10
≤0.2mm	≤0.35mm
≤0.40%	≤0.40%
(Method A) / Pass 20mm Ø	(Method A) / Pass 20mm Ø
Suitable, max 27°C	Suitable, max 27°C
0.0525m ² K/W 0.525 Tog	0.0541m ² K/W 0.541 Tog
≤2.0kV Classified as 'antistatic'	≤2.0kV Classified as 'antistatic'
(Method 3) ≥6	(Method 3) ≥6
Suitable	Suitable
Conforms	Conforms
Eurofins certified product Certified	Eurofins certified product Certified
1	\checkmark
100% recyclable	100% recyclable
BRE Global A+ rating (ENP 415)	BRE Global A+ rating (ENP 415)
Excellent	Excellent
20 years	15 years

BS EN 14041 EN 14041



S U S T A I N A B I L I T Y

Polyflor has demonstrated a high level of commitment over the years to producing high-quality floor coverings. We have minimised our impact on the environment, without compromising performance benefits of our products. Polyflor continually works on developing new products and technologies, and constantly evaluates production methods to further minimise our impact on the environment. For further details on Polyflor's achievements in areas such as recycling, energy reduction and waste avoidance visit: polyflor.com/sustainability

GUARANTEE

Our collections of luxury vinyl sheet flooring have been developed to meet the highest technical specification of its type. Ideal for all areas of the home, the products ensure high performance and optimum style. The ranges are also suitable for moderate commercial applications such as light traffic areas within hotels, conference rooms and small offices. Compared with many natural flooring options, Polyflor luxury vinyl sheet will under normal conditions resist household stains, will not crack, chip or splinter. All products purchased from the range are guaranteed in domestic home installations against normal wear and tear in the recommended environment, provided that they have been fitted correctly and maintained in accordance with the manufacturer's instructions. In order to make a claim, customers must apply in writing indicating where the flooring was purchased and provide satisfactory proof of purchase. This guarantee only applies in the event of visible wearing out of the decorative pattern on the surface, providing the flooring has been subject to normal usage in the recommended environment. It does not cover general misuse. Full terms and conditions of the guarantee are available on request from your flooring wholesaler or Polyflor Ltd.

TRY OUR ROOM VISUALISER

Picture your new floor instantly using the Polyflor Room Visualiser. Simply take a photo of the area you are renovating and select your new floor at the touch of a button.

Visualise any of the luxury vinyl sheet ranges now, visit polyflor.com/visualiser



ORDER SAMPLES

To request free individual product samples of any design within the collections, visit polyflor.com and follow the link to Samples and Literature.

Alternatively, call the dedicated Polyflor Samples Hotline:



Sample Service +44 (0)161 767 2551



POLYFLOR™ INTERNATIONAL

Australia Polyflor Australia Tel: 1800 777 425 E-mail: sales@polyflor.com.au

Canada Polyflor Canada Inc.

Tel: +1 905 364 3000 E-mail: sales@polyflor.ca

China Polyflor Hong Kong O/B Polyflor Ltd. Tel: +(852) 2865 0101 E-mail: info@polyflor.com.hk

Colombia Polyflor Ltd. (LATAM Office) Tel: +57 3223082375 E-mail: info@polyflor.com

France James Halstead France SAS Tel: +33 (0)8 20 20 32 11 E-mail: info@jhfrance.fr

Germany

objectflor Art und Design Belags GmbH Tel: +49 (0) 2236 966 330 E-mail: info@objectflor.de

India

Polyflor India Pvt Ltd. Tel: +91 22 4023 2485 E-mail: info@polyflor.co.in

Ireland

Polyflor Ireland Tel: +353 (1) 864 9304 E-mail: salesireland@polyflor.com

Malaysia

Polyflor Martex Tel: 1300 80 7788 E-mail: sales@polyflor.com.my

Middle East

Tel: +971 50 406 8114 E-mail: aelwakil@polyflorfze.ae

New Zealand

Polyflor New Zealand Ltd. Tel: 0800 765 935 Tel: +64 9 269 1111 E-mail: sales@polyflor.co.nz

Norway

Polyflor Nordic Tel: +47 23 00 84 00 E-mail: firmapost@polyflor.no

Poland

Polflor Sp. Z.o.o Tel: +48 (0) 61 820 3155 E-mail: polyflor@polflor.com.pl

South Africa Poly Sales Africa (Pty.) Ltd. Tel: +27 (0) 11 609 3500 E-mail: info@polyflor.co.za

Sweden

FalckDesign AB Tel: +46 (0) 300 15820 E-mail: info@falckdesign.com

POLYFLOR" UK

Polyflor Ltd. PO Box 3, Radcliffe New Road, Whitefield, Manchester, M45 7NR

Tel: +44 (0) 161 767 1111 E-mail: info@polyflor.com

www.polyflor.com

